Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/070,720	05/31/2002	Hans Linder	P 290739	2846
909	7590 04/23/2004		EXAMINER	
PILLSBURY WINTHROP, LLP			LUEBKE, RENEE S	
P.O. BOX 10500 MCLEAN, VA 22102			ART UNIT	PAPER NUMBER
Wiedzini, v	71 22102		2833	
			DATE MAILED; 04/23/200-	4

Please find below and/or attached an Office communication concerning this application or proceeding.

The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM					
THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed					
after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status 1) Responsive to communication(s) filed on					
, - · · · · · · · · · · · · · · · · · ·					
<u> </u>					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims					
4)⊠ Claim(s) <u>17-50</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>17-50</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9)⊠ The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on <u>05 February 2004</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.					
If approved, corrected drawings are required in reply to this Office action.					
12) The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. §§ 119 and 120					
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:					
 Certified copies of the priority documents have been received. 					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
a) The translation of the foreign language provisional application has been received.					
15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Attachment(s)					
. Man (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					

- 1. The amended drawings, filed February 5, 2004 are appreciated. However, the disclosure and drawings remain objected to because figures should not be linked. The lines between Figs. 3A/3B, 4A/4B and 6A/6B should be removed. Appropriate corrections are required.
- 2. The amendment filed February 5, 2004 is objected to under 35 U.S.C. 132 because it introduces new matter into the disclosure. 35 U.S.C. 132 states that no amendment shall introduce new matter into the disclosure of the invention. The added material, which is not supported by the original disclosure, is present in the paragraphs added after line 20 of page 3 and include new structure (a second electromagnet and a locking shackle) and new operations (extension of the rod and positioning of the blocking plate used as an indicator).

Applicant is required to cancel the new matter in the reply to this Office Action.

3. The following is a quotation of the first and second paragraphs of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. The specification (with or without the new matter) remains objected to as failing to clearly describe an operable device that performs the intended interlocking method. For example, the specification states that indication of interlocking is shown "by the lighting of a green lamp on the external surface of the actuator and by the pointing towards a green field of a mechanical arrow" (page 3, lines 28-31). However, no lamp is shown; there is no disclosure as to

what triggers the lamp; although 70 is stated to be a mechanical arrow, this reference numeral merely shows an area on the sketch (Fig. 2) of the linkage system; and there is no suggestion as to how the arrow is made to indicate a selected situation. Further, the application fails to indicate how the various parts operate or interrelate. The *Detailed Description* appears to be merely a brief discussion of a collection of parts and a broad statement of the goals of the invention. Even one familiar with the art (such as this examiner) would be unable to make and use a device based on the disclosure of this application.

Applicant's remarks of February 5, 2004 do not remedy this situation. They merely paraphrase the specification.

- 5. Claims 18-27, 29, 31, 32, 34-37, 40-50 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claims contain subject matter which was not described in the application in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. As noted above, the application fails to indicate how the device is assembled, arranged, etc. in order to operate as claimed.
- 6. Applicant is reminded that a series of singular dependent claims is permissible in which a dependent claim refers to a preceding claim which, in turn, refers to another preceding claim. A claim which depends from a dependent claim should not be separated by any claim which does not also depend from said dependent claim.
- 7. Claim 33 is objected to because it lacks antecedent basis for "the conductor spacing" and "the disconnecting" on line 2. Appropriate correction is required.

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 9. Claims 17, 28, 30, 33, 38 and 39 are rejected under 35 U.S.C. 102(b) as being anticipated by Baginski, et al. This breaker comprises sets of contacts (16/22, 16/24), an actuator connected to the contacts by a linking system 74, etc., and a mechanical interlock 38, 70, etc. that is arranged as claimed.
- 10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Stranczek and Siebels, et al. also maintain breaker contacts in the open position in the manner claimed.
- 11. Applicant's amendment necessitated the new grounds of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

12. It is suggested that responses to this final action be faxed to: (703) 872-9306

Please refrain from sending a confirmation copy, as noted in 37 CFR 1.6(d) and 1.8(b).

Alternatively, responses may be mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mrs. Renee Luebke at (571) 272-2009. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mrs. Paula Bradley, can be reached at (571) 272-2800, extension 33.

Renee S. Luebke

Primary Patent Examiner

April 15, 2004